## **CHEMISTRY UNIT STUDY GUIDE**

)	CHEMISTRY	s the study of and how it changes/interacts.
•	MATTER is ar	nything that has and
	o MAS	s is the amount of "stuff" (matter/atoms) something is made of.
		Measured in units called with an instrument called a
		is similar to mass, but depends on gravity. (w = m x g)
		Mass a measure of/proportional to INERTIA, the tendency of an object to resist a change in its
		motion (Newton's 1 <sup>st</sup> Law: <i>"An object in motion stays in motion; an object at rest stays at rest."</i> )
	o VOLU	JME is how much an object takes up.
		The volume of regular solids are measured in cubic centimeters (cm <sup>3</sup> )
		using a and the formula $1 \text{ cm}^3 = 1 \text{ mL}$
		The volume of irregular solids (or liquids) are measured in milliliters (mL)
		using the water displacement method and a
	•	Graduated cylinders are read from the <u>bottom</u> of the <b>meniscus</b> , the curve in the surface level.
	o DENS	SITY is a derived quantity, meaning it can't be measured but instead must be calculated.
	•	The formula for density is
	•	Substances with a density $> 1.0 \text{ g/cm}^3 \text{ will}$ in water.
	•	Substances with a density $< 1.0 \text{ g/cm}^3 \text{ will}$ in water.
	•	Density is a characteristic property, meaning it's the same for all parts of a substance:
		<b>Example 1:</b> 20 oz. of Coke has less volume and mass than a 2 liter of Coke, but both have the same density.
		<b>Example 2:</b> Archimedes famously shouted "Eureka!" when he displaced water in his bathtub and had the idea to measure the volume and mass of a gold bar to find its density. Then he could compare it to the density of the king's crown, which he didn't believe was real gold. Even though the two didn't have the same shae, size, or weight, if they were both pure gold, then their densities should be equal.
•	Mass, Volum	e, & Density are all examples of properties, along with color, smell, texture, etc.
•	Physical prop	erties can be observed or measured directly without changing the chemical makeup of the
	substance. (C	hemical properties can only be observed during a chemical change.)
	o Malle	eability is the ability to be bent, twisted, or shaped (like clay).
	o Perm	eability means water or other fluids can pass through it (like a sponge).
	o Soluk	oility means is can dissolve in liquids (like sugar in water)
	o Visco	sity is how thick a fluid is, or how slowly it pours.
	•	Syrup or pudding have high viscosity, water has low (because it pours easily)
	•	Heating a substance generally viscosity.
	o Luste	r is the ability to reflect light, as in a metallic shine
	<ul><li>Sono</li></ul>	rous is the ability to vibrate with a ringing sound, as in a metal bell

	0	Tempe	<b>erature</b> is a mea	sure of the average kir	netic (moti	ion) energy of the parti	cles in a substance.
		•	According to t	he <b>Kinetic Theory of M</b>	<b>latter</b> , eve	erything is made of tiny	particles (atoms) in
			constant moti	on. A substance's <b>Stat</b> e	e of Matte	er (or "phase") – solid, li	iquid, gas (etc.) – is
			determined by	y how much kinetic end	ergy/moti	on these particles have	(thermal energy).
			Heat is	s a measure of the <u>trar</u>	nsfer of th	ermal energy between	substances.
			• Heat a	always travels from an	area of hig	gh temp. to an area of l	ow temp.
			0	Exothermic describe	s heat lea	ving or <u>ex</u> iting a substa	nce.
			0	Endothermic describ	oes heat e	ntering, or going <u>into</u> a	substance.
		•	Temp. is meas	ured with a		in metric units o	of degrees
			• Temp.	. can also be expressed	l in <b>Centig</b>	rade (same as Celsius),	
			• Fahrei	nheit (British Imperial,	not metri	c. Now used only in U.S	5.)
			• Kelvin	(based on kinetic ene	rgy; zero p	particle motion = " <b>abso</b> l	lute zero," theoretical
			lowest	t possible temperature	e = -273 de	egrees Celsius)	
	0	States	of Matter are P	hysical Properties dete	ermined b	y Temperature	
		•		_ – particles are packe	d close to	gether, connected; vibr	ating in place
			• Definit	te volume, definite sha	аре		
		•		_ – particles are close,	but can sli	de around one another	; more kinetic motion
			• Defini	te volume, indefinite s	hape (take	es the shape of its conta	ainer)
		•		_ – particles have sepa	rated due	to large kinetic motion,	moving around in space
			• Indefin	nite volume, indefinite	shape (ex	pands to fill its contain	er)
		•		_ – highly charged gas	particles, e	emit electrical field; fou	nd in neon lights, lightning
			stars; most co	mmon type of matter i	in the univ	verse	
		•		– exot	ic state of	matter created under l	aboratory conditions near
			absolute zero	Kelvin; all particle "cor	ndense" to	gether to form one "su	per atom"
	0	Phase	<b>Transitions</b> , or o	changes between State	es of Matt	er, are <u>physical changes</u>	s (because chemical
		identit	ies don't change	e – ice water, liquid wa	iter, and w	vater vapor are all still F	I₂O molecules.)
		•	Solid → Liquid	l =			
		•	Liquid → Gas =	=		Gas → Liquid =	
		•	Solid → Gas =				
			[Gas → Plasma	a =		Plasma → Gas =	
				ENDOTH	ERMIC		EXOTHERMIC
ı				•		pattern emerges with fl	·
			•	_	_	Point. These are charac	
	(like de	ensity) t	hat can be used	to identify a substance	e. (Water l	ooils at °C and t	freezes at°C.)

•	Physica	al Chang	ges, like Phase Transitions, can generally be rever	sed.
•	Chemi	cal Chai	nges <u>cannot</u> always be easily reversed (because a	toms get rearranged – <u>NOT</u> created or destroye
	0	The La	w of Conservation of Mass says atoms cannot be	e created or destroyed, only rearranged;
		the nu	imber of atoms (and thus the mass) of the <b>reacta</b>	nts will always be to the product
	0	Examp	oles of <b>Chemical Properties</b> (which are only evide	nt during Chemical Changes) include
		•	<b>Reactivity</b> – how easily or quickly the the subst	ance will react, and with what other chemicals
			Has to do with valence electrons. (Alkal	li Metals & Halogens most reactive. Fr & Fl)
		•	<b>pH</b> – how strong or weak an acid or base	
			• Scale from 0 to 14; 0 = strong	, 7 = neutral (water), 14 = strong
			<ul> <li>Acids have H<sup>+</sup> cations, meaning they are</li> </ul>	e electron recievers/proton donors
			<ul> <li>Bases have HO<sup>-</sup> anions, meaning they a</li> </ul>	are electron donors/proton recievers
			Base in solution is called alkali, yeild wa	ater and a salt in neutralization reaction
		•	– the ability to bur	n (means the same as "inflammability")
		•	Combustibility – ability to combust (burn at a	rapid rate, i.e., explode)
			• Combustion (burning) requires (1) ignit	ion source, (2) fuel, (3) <u>oxygen</u>
		•	Toxicity	
		•	Ability to Decompose or Decay (stable vs. unsta	able)
•	The sp	eed of a	Chemical Reactions/Chemical Change is known a	as the of Reaction
	0	Factor	s that affect Rate of Reaction:	
		•	Temperature: higher temp. = more kinetic more	tion of particles = speedier R.o.R.
		•	Surface Area: higher surface area (meaning pu	llverized/ground up more finely) = more particle
			exposed at once= faster Rate of Reaction	
		•	Agitation (stirring/mixing): artificially generates	s more kinetic energy, causes particles to interac
			more quickly = faster R.o.R.	
		•	Concentration: higher concentration (more sol	ute dissolved into the solvent) means more
			particles to interact with = faster R.o.R.	
		•	Pressure: low pressure means gas particles spre	ead out, interact less frequently; high pressure
			squeezes them close together, causing them to	collide more often = faster R.o.R
		•	Catalyst: a chemical substance that causes a re	action to speed up, acts as the "middle-man" go
			between to help two reactants get what they n	eed from each other
	0	In a Cł	nemical Reaction, the chemicals reacting with one	e another are called the,
		and th	e chemicals produced are called the	(They must equal one another.)
	0	In a Ch	nemical Equation, the sign "→" means	and shows the direction of the reaction

0	are the basic units of matter, the smallest particles of which are called <b>atoms</b> .
	There are 118 different types, each with unique physical and chemical properties.
0	Atoms combine together (chemically "bond") to form
	■ <b>Diatomic</b> molecules are made of two atoms of the <u>same</u> element (e.g., O₂, H₂, Cl₂)
)	Atoms of different elements combine chemically ("bond") to form
	<ul> <li>Compounds have different chemical &amp; physical properties than the elements that compose</li> </ul>
	them (e.g., Sodium is soft, silver-colored metal that reacts strongly with water and Chlorine is a
	yellow, poisonous gas. But the compound Sodium Chloride is a brittle white solid that dissolves
	in water and that is necessary in our diet.)
)	Mixtures do <u>not</u> combine together different substances chemically, but only mix them together in the
	same physical space. Therefore, they can be physically separated. Methods to separate mixtures take
	advantage of differences in physical properties, like magnetism, solubility, and different boiling points.
	<ul> <li>Filtration can separate solids that are insoluble from a liquid.</li> </ul>
	<ul> <li>Sieving can separate solids of different particle sizes.</li> </ul>
	<ul> <li>Evaporation and Condensation can separate dissolved solids from a liquid.</li> </ul>
	<ul> <li>Chromotography can be used to separate different color dyes.</li> </ul>
	<ul> <li>Distillation can be used to separate substances based on boiling and condensation points.</li> </ul>
)	If the different substances are not uniformly distributed, meaning they can be easily distinguished from
	one another, then we describe that mixture as ("hetero-" = different)
)	If the substances are evenly distributed, meaning they are so well mixed we can't tell them apart or see
	the difference, we describe them as ("homo-" = same)
0	are a common type of homogeneous mixture in liquid (e.g., salt water)
	The substance dissolved in the liquid is called the
	The liquid doing the dissolving is the
	is known as "the universal solvent."
)	are a heterogeneous mixture in a liquid, in which the particles do not
	dissolve and will eventually settle out due to gravity. (e.g., snow globe, muddy water, orange juice)
)	are a solution of particles in water that will not settle out, but are
	nonetheless much larger than the particles of the solvent. Therefore, when you shine a light through the
	solution, the larger particles refract the light. (e.g., fog, milk, jello)
O	are heterogeneous mixtures of oils and water (e.g. salad dressing)
0	are homogeneous mixtures of metals (e.g., brass, bronze, pewter)
O	are homogenous mixtures involving mercury (e.g. dental fillings)